



# POD Integration Specification v1.0

## Table of Contents

[Protocol](#)

[Authentication](#)

[Definitions](#)

[Responses](#)

[Contact](#)

[Connectivity test](#)

[Endpoint](#)

[Success response](#)

[Errors](#)

[Order submission](#)

[Endpoint](#)

[Request fields](#)

[Sample payload](#)

[Success response](#)

[Errors](#)

[Sample error responses](#)

[Check status](#)

[Endpoint](#)

[Supported statuses](#)

[Success response](#)

[Example response](#)

[Errors](#)

[Cancel order](#)

[Endpoint](#)

[Success response](#)

[Errors](#)

[Webhooks](#)

[Endpoint](#)

[Request](#)

[Response](#)

## Protocol

All communication must be over the HTTPS protocol.

The data format is JSON, all text is UTF-8 encoded and all times are in UTC (in the format YYYY-MM-DD HH:MM:SS).

All responses must be under 10 seconds. This means that artwork validation and processing should happen asynchronously.

All base URLs must be the same for all endpoints unless you provide a sandbox/test environment under a different base URL.

## Authentication

Authentication takes place using an authentication token in the `X-AUTH-TOKEN` header. This should be a permanent, unique token that you provide to your customers.

We will send this header for all requests.

## Definitions

In the next section the endpoints are described required for a correct integration. All endpoints, request methods, status codes and data formats must be followed.

When a field is marked as **Implementation required** you must implement the field for a correct integration.

When a field is marked as **Required for submission** we will always send the field.

When a field is *not* marked as **Required for submission** we may either send an empty value or omit the field entirely.

## Responses

All responses must have a boolean success field at the top level to indicate status of the operation.

## Contact

For all inquiries regarding this document or implementation please contact us at [tech@orderdesk.com](mailto:tech@orderdesk.com)

# Connectivity test

A fast way to test the authenticated connection to the integration. If this check succeeds we assume the customer is correctly set up and has access to all endpoints.

## Endpoint

`GET /authentication-test`

## Success response

Status code `200`

```
{
  "success": true
}
```

## Errors

Status code 401

<u>Aa</u> Code	☰ Message	☰ Description
<u>1001</u>	Invalid Credentials	When making a request with an invalid authentication token
<u>1002</u>	Account Not Set Up	When additional steps are required for the customer to set up their account

```
{
  "success": false,
  "errors": [
    {
      "errorCode": 1001,
      "message": "Invalid credentials"
    },
    {
      "errorCode": 1002,
      "message": "Account not set up"
    }
  ],
  "errorMessage": "Invalid credentials. Account not set up."
}
```

## Order submission

**Important:** Due to the potential size of artwork files please ensure that any artwork validation happens after the order has been accepted. If the artwork validation fails, please cancel the order and send an appropriate webhook notification.

### Endpoint

POST /order

### Request fields

<u>Aa</u> Name	▼ Type	<input checked="" type="checkbox"/> Implementation required	<input checked="" type="checkbox"/> Required for submission	☰ Description
<u>orderId</u>	text	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Must be unique

<u>Aa</u> Name	Type	<input checked="" type="checkbox"/> Implementation required	<input checked="" type="checkbox"/> Required for submission	Description
<u>poNumber</u>	text	<input type="checkbox"/>	<input type="checkbox"/>	A customer-specific reference number to appear on label or packing slip
<u>webhookUrl</u>	text	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Status notifications for this order must be send to this URL. Shipment notifications must also be send to this URL
<u>giftMessage</u>	text	<input type="checkbox"/>	<input type="checkbox"/>	Must support newlines
<u>internalNote</u>	text	<input type="checkbox"/>	<input type="checkbox"/>	
<u>packingSlipUrl</u>	text	<input type="checkbox"/>	<input type="checkbox"/>	
<u>shippingLabelUrl</u>	text	<input type="checkbox"/>	<input type="checkbox"/>	
<u>shippingAddress</u>	object	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Container for the shipping address
<u>shippingAddress.firstName</u>	text	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<u>shippingAddress.lastName</u>	text	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<u>shippingAddress.company</u>	text	<input type="checkbox"/>	<input type="checkbox"/>	
<u>shippingAddress.address1</u>	text	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<u>shippingAddress.address2</u>	text	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<u>shippingAddress.address3</u>	text	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<u>shippingAddress.address4</u>	text	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<u>shippingAddress.city</u>	text	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<u>shippingAddress.regionCode</u>	text	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	State/province code
<u>shippingAddress.postalCode</u>	text	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	

<u>Aa</u> Name	Type	<input checked="" type="checkbox"/> Implementation required	<input checked="" type="checkbox"/> Required for submission	Description
<u>shippingAddress.countryCode</u>	text	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	ISO 3166-1 Alpha-2 code
<u>shippingAddress.phone</u>	text	<input type="checkbox"/>	<input type="checkbox"/>	
<u>shippingAddress.emailAddress</u>	text	<input type="checkbox"/>	<input type="checkbox"/>	
<u>billingAddress</u>	object	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Container for the billing address
<u>billingAddress.firstName</u>	text	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<u>billingAddress.lastName</u>	text	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<u>billingAddress.company</u>	text	<input type="checkbox"/>	<input type="checkbox"/>	
<u>billingAddress.address1</u>	text	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<u>billingAddress.address2</u>	text	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<u>billingAddress.city</u>	text	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<u>billingAddress.regionCode</u>	text	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	State/province code
<u>billingAddress.postalCode</u>	text	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<u>billingAddress.countryCode</u>	text	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	ISO 3166-1 Alpha-2 code
<u>billingAddress.phone</u>	text	<input type="checkbox"/>	<input type="checkbox"/>	
<u>returnAddress</u>	object	<input type="checkbox"/>	<input type="checkbox"/>	Container for the return address
<u>returnAddress.company</u>	text	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<u>returnAddress.address1</u>	text	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<u>returnAddress.address2</u>	text	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<u>returnAddress.city</u>	text	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<u>returnAddress.regionCode</u>	text	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	State/province code
<u>returnAddress.postalCode</u>	text	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<u>returnAddress.countryCode</u>	text	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	ISO 3166-1 Alpha-2 code
<u>returnAddress.phone</u>	text	<input type="checkbox"/>	<input type="checkbox"/>	

<u>Aa</u> Name	Type	<input checked="" type="checkbox"/> Implementation required	<input checked="" type="checkbox"/> Required for submission	Description
<u>shipping</u>	object	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<u>shipping.account</u>	object	<input type="checkbox"/>	<input type="checkbox"/>	Specific customer shipping account to be used
<u>shipping.account.number</u>	text	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<u>shipping.account.postalCode</u>	text	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<u>shipping.account.countryCode</u>	text	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<u>shipping.method</u>	text	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	One of the predefined shipping methods. We require a list of available shipping methods (and this need to be kept up-to-date regularly when you make any changes).
<u>shipping.cost</u>	float	<input type="checkbox"/>	<input type="checkbox"/>	
<u>preferredShipDate</u>	datetime	<input type="checkbox"/>	<input type="checkbox"/>	
<u>preferredDeliveryDate</u>	datetime	<input type="checkbox"/>	<input type="checkbox"/>	
<u>items</u>	array	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Container for order items
<u>items.n</u>	object	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	One or more order items
<u>items.n.printSku</u>	text	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<u>items.n.quantity</u>	integer	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<u>items.n.customerSku</u>	text	<input type="checkbox"/>	<input type="checkbox"/>	
<u>items.n.internalId</u>	text	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<u>items.n.unitPrice</u>	float	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

<u>Aa</u> Name	Type	<input checked="" type="checkbox"/> Implementation required	<input checked="" type="checkbox"/> Required for submission	Description
<u>items.n.printDetails</u>	object	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Container for the print details
<u>items.n.printDetails.n</u>	array	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	One or more print location and information
<u>items.n.printDetails.n.location</u>	text	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<u>items.n.printDetails.n.printUrl</u>	text	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<u>items.n.printDetails.n.previewUrl</u>	text	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<u>items.n.printDetails.n.designId</u>	text	<input checked="" type="checkbox"/>	<input type="checkbox"/>	It is possible to only require a design id which contains all required print information. In this case we will omit the other fields
<u>items.n.printDetails.n.type</u>	text	<input type="checkbox"/>	<input type="checkbox"/>	
<u>items.n.printDetails.n.xOffset</u>	text	<input type="checkbox"/>	<input type="checkbox"/>	
<u>items.n.printDetails.n.yOffset</u>	text	<input type="checkbox"/>	<input type="checkbox"/>	
<u>items.n.options</u>	object	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Container for the product options
<u>items.n.options.size</u>	text	<input checked="" type="checkbox"/>	<input type="checkbox"/>	If you require the size to be in a specific format please provide the list of allowed sizes
<u>items.n.options.color</u>	text	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<u>items.n.options.optionN</u>	text	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Zero or more extra product options

<u>Aa</u> Name	Type	<input checked="" type="checkbox"/> Implementation required	<input checked="" type="checkbox"/> Required for submission	Description
<u>items.n.customs</u>	object	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Container for information related to customs
<u>items.n.customs.htsCode</u>	text	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<u>items.n.customs.countryOfOrigin</u>	text	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<u>items.n.customs.lineItemDeclaredValue</u>	float	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<u>items.n.internalNote</u>	text	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<u>Untitled</u>		<input type="checkbox"/>	<input type="checkbox"/>	

## Sample payload

```
{
  "orderId": "api-12345",
  "poNumber": "inv-38476fk",
  "webhookUrl": "https://app.orderdesk.me/xt/35455436/d37dy372yd732kencebficrb",
  "giftMessage": "Happy birthday!\n\nFrom all of us",
  "internalNote": "A message here",
  "packingSlipUrl": "https://dropbox.com/f4tc49i4dfc43f7d4r434.jpeg?dl=1",
  "shippingLabelUrl": "https://dropbox.com/94dijrn43ur48ydbf7vc4g.jpeg?dl=1",
  "shippingAddress": {
    "firstName": "Eleanor",
    "lastName": "Brooks",
    "company": "A. J. August Fashionwear",
    "address1": "1271 Hall Valley Drive",
    "address2": "Door 12",
    "address3": "",
    "address4": "",
    "city": "Wheeling",
    "regionCode": "WV",
    "postalCode": "26003",
    "countryCode": "US",
    "phone": "304-713-3136",
    "emailAddress": "eleanor.brooks@example.com"
  },
  "billingAddress": {
    "firstName": "John",
    "lastName": "Lucas",
    "company": "A. J. August Fashionwear",
    "address1": "1271 Hall Valley Drive",
    "address2": "",
    "city": "Wheeling",
    "regionCode": "WV",
    "postalCode": "26003",
    "countryCode": "US",
    "phone": ""
  },
  "returnAddress": {
    "company": "Stratacard",
    "address1": "2836",
    "address2": "Crowfield Road",
  }
}
```



```

    "city": "Dousman",
    "regionCode": "WI",
    "postalCode": "53118",
    "countryCode": "US",
    "phone": ""
  },
  "shipping": {
    "account": {
      "number": "49575631",
      "postalCode": "26003",
      "country": "US"
    },
    "method": "UPS Express",
    "cost": "24.60",
    "preferredDeliveryDate": "2021-01-05"
  },
  "items": [
    {
      "printSku": "T501",
      "quantity": "3",
      "customerSku": "T-SHIRT_BXL_1203",
      "internalId": "string",
      "unitPrice": "15.99",
      "printDetails": {
        [
          "location": "front",
          "printUrl": "https://dropbox.com/t-shirt-company-logo.png?dl=1",
          "previewUrl": "https://dropbox.com/t-shirt-preview.png?dl=1",
          "type": "embroidery",
        ]
      },
      "options": {
        "size": "XL",
        "color": "black",
        "customText": "Nice text"
      },
      "customs": {
        "htsCode": "0901.11",
        "countryOfOrigin": "US",
        "lineItemDeclaredValue": "19.99"
      },
      "internalNote": "?string"
    }
  ]
}

```

## Success response

Status code **201**

```

{
  "success": true,
  "fulfillmentId": "649524",
}

```

<u>Aa</u> Name	▼ Type	<input checked="" type="checkbox"/> Implementation required?	☰ Description
----------------	--------	--	---------------

<u>Aa</u> Name	Type	<input checked="" type="checkbox"/> Implementation required?	Description
<u>success</u>	boolean	<input checked="" type="checkbox"/>	
<u>fulfillmentId</u>	string	<input checked="" type="checkbox"/>	The reference to the order in your system. This will be used in all subsequent requests and responses

## Errors

Status code 400

<u>Aa</u> Code	Message	Extra information	Description
<u>2001</u>	Duplicate order ID	fulfillmentId	The fulfillment id returned must be the existing order in the system
<u>3000</u>	Invalid shipping address		Either use this error state or one of the specific ones below
<u>3001</u>	Invalid shipping address 1		
<u>3002</u>	Invalid shipping address 2		
<u>3003</u>	Invalid shipping address 3		
<u>3004</u>	Invalid shipping address 4		
<u>3005</u>	Invalid shipping city		
<u>3006</u>	Invalid shipping region		
<u>3007</u>	Invalid shipping postal code		
<u>3008</u>	Invalid shipping country		
<u>3100</u>	Invalid billing address		Either use this error state or one of the specific ones below
<u>3101</u>	Invalid billing address 1		
<u>3102</u>	Invalid billing address 2		
<u>3105</u>	Invalid billing city		
<u>3106</u>	Invalid billing region		
<u>3107</u>	Invalid billing postal code		
<u>3108</u>	Invalid billing country		

<b>Aa</b> Code	<b>Message</b>	<b>Extra information</b>	<b>Description</b>
<u>3200</u>	Invalid return address		Either use this error state or one of the specific ones below
<u>3201</u>	Invalid return address 1		
<u>3202</u>	Invalid return address 2		
<u>3205</u>	Invalid return city		
<u>3206</u>	Invalid return region		
<u>3207</u>	Invalid return postal code		
<u>3208</u>	Invalid return country		
<u>4001</u>	Missing print SKU		
<u>4002</u>	Invalid print SKU	printSku	
<u>4003</u>	Missing print location		
<u>4004</u>	Invalid print location	location	
<u>4005</u>	Invalid type	type	
<u>4006</u>	Invalid design id	designId	
<u>4007</u>	Invalid size	size	
<u>4008</u>	Invalid color	color	
<u>4009</u>	Invalid option	option, value	
<u>5001</u>	Invalid shipping method		
<u>5100</u>	Invalid shipping account		

## Sample error responses

### Duplicate order

```
{
  "success": false,
  "errors": [
    {
      "errorCode": 2001,
      "message": "Duplicate order ID",
      "fulfillmentId": "649524"
    }
  ],
  "errorMessage": "Duplicate order ID"
}
```

### Invalid address

```

{
  "success": false,
  "errors": [
    {
      "errorCode": 3001,
      "message": "Invalid shipping address 1"
    },
    {
      "errorCode": 3102,
      "message": "Invalid billing address 2"
    }
  ],
  "errorMessage": "Invalid shipping address 1. Invalid billing address 2."
}

```

### Invalid shipping info

```

{
  "success": false,
  "errors": [
    {
      "errorCode": 5001,
      "message": "Invalid shipping method"
    }
  ],
  "errorMessage": "Invalid shipping method"
}

```

### Invalid items

```

{
  "success": false,
  "errors": [
    {
      "errorCode": 4001,
      "message": "Missing print SKU"
    },
    {
      "errorCode": 4002,
      "message": "Invalid print SKU",
      "printSku": "XC-1154"
    }
  ],
  "errorMessage": "Missing print SKU. Invalid print SKU."
}

```

## Check status

### Endpoint

`GET /order/<fulfillmentId>`

### Supported statuses

`received`, `accepted`, `in production`, `printed`, `shipped`, `delivered`, `held`, `stalled`, `canceled`

## Success response

Status code 200

<u>Aa</u> Name	Type	<input checked="" type="checkbox"/> Implementation required	Description
<u>success</u>	boolean	<input checked="" type="checkbox"/>	
<u>order</u>	object	<input checked="" type="checkbox"/>	Order must contain the entire order object as defined in order submissions in addition to the status and shipment fields
<u>order.status</u>	enum	<input checked="" type="checkbox"/>	One of the supported statuses
<u>order.shipments</u>	array	<input checked="" type="checkbox"/>	Container with zero or more shipments
<u>order.shipments.n.trackingNumber</u>	string	<input checked="" type="checkbox"/>	Do not use placeholder tracking numbers
<u>order.shipments.n.carrier</u>	string	<input checked="" type="checkbox"/>	
<u>order.shipments.n.trackingUrl</u>	string	<input type="checkbox"/>	
<u>order.shipments.n.shipMethod</u>	string	<input checked="" type="checkbox"/>	
<u>order.shipments.n.cost</u>	float	<input type="checkbox"/>	
<u>order.shipments.n.weight</u>	float	<input type="checkbox"/>	
<u>order.shipments.n.shipDate</u>	datetime	<input type="checkbox"/>	
<u>order.shipments.n.deliveryDate</u>	datetime	<input type="checkbox"/>	
<u>Untitled</u>		<input type="checkbox"/>	

## Example response

```
{
  "success": true,
  "order": {
    "orderId": "api-12345",
    "fulfillmentId": "649524",
    "poNumber": "inv-38476fk",
    "webhookUrl": "https://app.orderdesk.me/xt/35455436/d37dy372yd732kencebficrb",
    "giftMessage": "Happy birthday!\n\nFrom all of us",
    "internalNote": "0?string",
    "packingSlipUrl": "https://dropbox.com/f4tc49i4dfc43f7d4r434.jpeg?dl=1",
    "shippingLabelUrl": "https://dropbox.com/94dijrn43ur48ydbf7vc4g.jpeg?dl=1",
    "shippingAddress": {
      "firstName": "Eleanor",
      "lastName": "Brooks",
      "company": "A. J. August Fashionwear",
      "address1": "1271 Hall Valley Drive",
      "address2": "Door 12",
    }
  }
}
```

```

    "address3": "",
    "address4": "",
    "city": "Wheeling",
    "regionCode": "WV",
    "postalCode": "26003",
    "countryCode": "US",
    "phone": "304-713-3136",
    "emailAddress": "eleanor.brooks@example.com"
  },
  "billingAddress": {
    "firstName": "John",
    "lastName": "Lucas",
    "company": "A. J. August Fashionwear",
    "address1": "1271 Hall Valley Drive",
    "address2": "",
    "city": "Wheeling",
    "regionCode": "WV",
    "postalCode": "26003",
    "countryCode": "US",
    "phone": ""
  },
  "returnAddress": {
    "company": "Stratacard",
    "address1": "2836",
    "address2": "Crowfield Road",
    "city": "Dousman",
    "regionCode": "WI",
    "postalCode": "53118",
    "countryCode": "US",
    "phone": ""
  },
  "shipping": {
    "account": {
      "number": "49575631",
      "postalCode": "26003",
      "country": "US"
    },
    "method": "string",
    "cost": "24.60",
    "preferredDeliveryDate": "2021-01-05"
  },
  "items": [
    {
      "printSku": "T501",
      "quantity": "3",
      "customerSku": "T-SHIRT_BXL_1203",
      "internalId": "string",
      "unitPrice": "15.99",
      "printDetails": {
        [
          "location": "front",
          "printUrl": "https://dropbox.com/t-shirt-company-logo.png?dl=1",
          "previewUrl": "https://dropbox.com/t-shirt-preview.png?dl=1",
          "type": "embroidery",
        ]
      },
      "options": {
        "size": "XL",
        "color": "black",
        "customText": "Nice text"
      },
      "customs": {
        "htsCode": "0901.11",
        "countryOfOrigin": "US",
        "lineItemDeclaredValue": "19.99"
      }
    }
  ],

```

```
    "internalNote": "?string"
  }
],
"status": "shipped",
"shipments": [
  {
    "trackingNumber": "L9374364393",
    "carrier": "UPS",
    "shipMethod": "Express",
    "cost": "29.00",
    "shipDate": "2021-01-08 15:13:15",
    "deliveryDate": "2021-01-08 20:01:48"
  }
]
}
```

## Errors

Status code **404**

<u>Aa</u> Code	Message
<u>2004</u>	Order not found

```
{
  "success": false,
  "errors": [
    {
      "errorCode": 2004,
      "message": "Order not found"
    }
  ],
  "errorMessage": "Order not found"
}
```

## Cancel order

### Endpoint

**POST** /order/<fulfillmentId>/cancel

### Success response

Status code **200**

```
{
  "success": true
}
```

## Errors

---

Code	Message
<u>2004</u>	Order not found
<u>6001</u>	Order is already canceled
<u>6002</u>	Order is already in production
<u>6003</u>	Order is already shipped

```

{
  "success": false,
  "errors": [
    {
      "errorCode": 6001,
      "message": "Order is already canceled",
    }
  ]
}

{
  "success": false,
  "errors": [
    {
      "errorCode": 6002,
      "message": "Order is already in production",
    }
  ]
}

{
  "success": false,
  "errors": [
    {
      "errorCode": 6003,
      "message": "Order is already shipped",
    }
  ]
}

```

## Webhooks

When our webhook response fails retry at varying intervals.

For improved security, please sign your requests.

If we send back an HTTP status `410`, please remove the webhook subscription.

### Endpoint

`POST` to the endpoint provided we sent as `webhookUrl` when the order was submitted.

### Request

Name	Type	<input checked="" type="checkbox"/> Implementation required	Description
<u>fulfillmentId</u>	string	<input checked="" type="checkbox"/>	



<u>Aa</u> Name	Type	<input checked="" type="checkbox"/> Implementation required	Description
<u>status</u>	enum	<input checked="" type="checkbox"/>	One of the supported statuses
<u>shipment</u>	object	<input checked="" type="checkbox"/>	Only required when notifying about a new shipment
<u>shipment.trackingNumber</u>	string	<input checked="" type="checkbox"/>	Do not use placeholder tracking numbers
<u>shipment.carrier</u>	string	<input checked="" type="checkbox"/>	
<u>shipment.trackingUrl</u>	string	<input type="checkbox"/>	
<u>shipment.shipMethod</u>	string	<input checked="" type="checkbox"/>	
<u>shipment.cost</u>	float	<input type="checkbox"/>	
<u>shipment.weight</u>	float	<input type="checkbox"/>	
<u>shipment.shipDate</u>	datetime	<input type="checkbox"/>	

```

{
  "fulfillmentId": "649524",
  "status": "shipped",
  "shipment": {
    "trackingNumber": "L9374364393",
    "carrier": "UPS",
    "shipMethod": "Express",
    "cost": "29.00",
    "shipDate": "2021-01-08 15:13:15"
  }
}

```

## Response

We will respond with a status code 200 when accepted.

If we send a 400-level status code, please look at response and do not resend.

If we send a 500-level status code, please retry sending in varying intervals until accepted.